

VFXT7.EX2833 - Hangers, Pipe Certified for Canada

Hangers, Pipe Certified for Canada

P H D MFG INC

44018 COLUMBIANA WATERFORD RD
COLUMBIANA, OH 44408-9481 United States

EX2833

Pipe hangers

Model	Hanger Type	Rod Size, mm	NPS*	Comments
141	Band Hanger	3/8	3/4, 1, 1-1/4, 1-1/2, 2	For use with 3/8" Total Captive
141	Band Hanger	3/8	2-1/2, 3, 3- 1/2, 4	—
141	Band Hanger	1/2, 12 mm	5, 6, 8	—
055	Surge Device	3/8	3/4, 1, 1-1/4, 1-1/2, 2	To be used with the Model 141 Band Hanger
151	Band Hanger	1/2	2-1/2, 3, 3-1/2	—
151	Band Hanger	5/8	4, 5	—
151	Band Hanger	3/4	6, 8	—
250	C-Clamp	3/8	Up to 4	—
250	C-Clamp	1/2	Up to 4	—
290	C-Clamp	3/8	Up to 4	—
340	Top Beam Clamp	3/8	Up to 4	—
345	Top Beam Clamp	3/8	Up to 4	—
353/350	Universal Beam Clamp	10 (3/8 in.)	Up to 4	—
354/370/350	Top Beam Clamp	12 (1/2 in)	Up to 8	—
355/374/350	Top Beam Clamp	5/8	Up to 8	—

356/350	Top Beam Clamp	3/4	Up to 8	—
357/350	Top Beam Clamp	7/8	Up to 8	—
363/360	Top Beam Clamp	10 (3/8 in.)	Up to 4	—
364/360	Top Beam Clamp	12 (1/2 in)	Up to 8	—
370	Top Beam Clamp	3/8	Up to 4	—
370	Top Beam Clamp	1/2	Up to 8	—
450	Clevis Hanger	1/2	2-1/2, 3, 3-1/2	
450	Clevis Hanger	5/8	4, 5	—
450	Clevis Hanger	3/4	6,8	—
451	Clevis Hanger	1/2	2-1/2, 3, 3-1/2	—
451	Clevis Hanger	5/8	4, 5	—
451	Clevis Hanger	3/4	6,8	—
453	Clevis Hanger	1/2	2-1/2, 3, 3-1/2	—
453	Clevis Hanger	5/8	4, 5	—
453	Clevis Hanger	3/4	6, 8	—
454	Clevis Hanger	1/2	2-1/2, 3, 3-1/2	—
454	Clevis Hanger	5/8	4, 5	—
454	Clevis Hanger	3/4	6, 8	—
550	Riser Clamp	N/A	3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4, 5, 6, 8	—
551	Riser Clamp	N/A	3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4, 5, 6, 8	—
36	Offset Eye Socket	10 (3/8 in.)	Up to 2	3/8 x 2-1/2 in. lag Screw
36	Offset Eye Socket	10 (3/8 in.)	Up to 4	3/8 bolt
37	Offset Eye Socket	3/8	Up to 2	#16x2 in. wood drive screws

37	Offset Eye Socket	3/8	Up to 4	—
37	Eye Socket	1/2	Up to 8	This device is not offset
906	Side Beam Connector	3/8	Up to 2	#16x2 in. wood drive screws
906	Side Beam Connector	3/8	Up to 4	1/2 x 2-1/2 in. lag Screw
907	Side Beam Bracket	3/8	Up to 4	—
908	Side Beam Bracket	3/8	Up to 4	—
940	Ceiling Flange	3/8	Up to 2	—
940-S	Ceiling Flange	3/8	Up to 2	—
945	Ceiling Flange	3/8	Up to 2	—
040	Pipe Clamp	10 (3/8 in)	3/4, 1, 1-1/4, 1-1/2, 2	—
040	Pipe Clamp	12 (1/2 in)	2-1/2, 3, 3-1/2	—
040	Pipe Clamp	16 (5/8 in)	4, 5	—
040	Pipe Clamp	19 (3/4 in)	6	—
040	Pipe Clamp	22 (7/8 in)	8	—
020	Swivel Attachment	3/8	Up to 4	—
990	In-Rack	10 (3/8)	4	Installed in flue spaces between pallet racks with "Tear Drop" or "Interlake New style" rack columns.
358	Retaining Strap	—	Up to 8	Lengths: 4-1/2, 6, 8, 10, 12, 14 in.
359	Retaining Strap	—	Up to 8	Lengths: 4-1/2, 6, 8, 10, 12, 14 in.

* NPS = Nominal pipe size

Last Updated on 2022-06-14

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."